



VINDÖ

Queen of Cruising







DATA:

Loa	10,28 m	33' 8"
Lwl	8,20 m	26' 9"
Beam	3,33 m	10' 10"
Displac	6,1 ton	13440 lbs
Balast (Lead)	2,3 ton	5070 lbs
Draft	1,6 m	5' 2"
Watertank	200 l	53 US Gal.
Dieseltank	100 l	26 US Gal.
Main sail	23,0 m ²	247 sqft
Storm Jib	14,0 m ²	150 sqft
Jib (Standard)	23,0 m ²	247 sqft
Genoa I	38,0 m ²	409 sqft
Genoa II	28,0 m ²	301 sqft
Spinnaker	82,0 m ²	882 sqft
Mastheight	12,5 m	41' 0"
Mastheight above waterline	14,3 m	46' 8"
Engine	Volvo Penta MD 2003 28 hp/20,5 kw	


Alt. I



Alt. II




34' Vindö 452




DATA:

Loa	8,95 m	29' 3"
Lwl	6,7 m	22' 0"
Beam	2,75 m	9' 1"
Displac	3,6 ton	7040 lbs
Ballast (Lead)	1,6 ton	3530 lbs
Draft	1,30 m	4' 3"
Watertank	120 l	31,7 US G
Dieseltank	60 l	16 US G
Main sail	17,5 m ²	188 sqft
Storm Jib	8 m ²	86 sqft
Jib (Standard)	17,9 m ²	192 sqft
Genoa I	30 m ²	323 sqft
Genoa II	23 m ²	247 sqft
Spinnaker	65 m ²	699 sqft
Engine	Volvo Penta MD 2002 18 hp/13 kw	




29' Vindö 32




DATA:

Loa	11,6 m	38' 6"
Lwl	9,4 m	31' 3"
Beam	3,65 m	12' 2"
Displac	11 ton	24250 lbs
Ballast (Lead)	4,5 ton	9920 lbs
Draft	1,8 m	6' 3"
Watertank	400 l	106 US Ga
Dieseltank	250 l	66 US Ga
Main sail	30,5 m ²	328 sqft
Storm Jib	13,8 m ²	148 sqft
Jib (Standard)	26,5 m ²	285 sqft
Genoa I	44 m ²	473 sqft
Genoa II	37 m ²	399 sqft
Mesan	8,5 m ²	92 sqft
Spinnaker	115 m ²	1237 sqft
Engine	Volvo Penta MD 30 65 hp/48 kw	



39' Vindö 65



VINDÖ SWEDEN AB

S-440 90 Henån, Sweden. Tel. 0304-392 00



AGENTS: